


USER MANUAL Floor lamp



Features

DIY modular assembly Remote control Multiple color changes Multiple mode changes High efficiency, energy saving and environmental protection Easy to install and versatile

Instructions for use

Refer to the instruction manual to assemble the floor - standing atmosphere lamp kit into a finished lamp, and then power on test;

The remote control can control a variety of RGB color static changes;

The white light mode can be independently controlled by there mote control and the brightness can be adjusted;


The dynamic color change of the ambient light can be adjusted;

Technical Parameters

SKU	238
Product Size	23.5*1462mm
Rated Power	17W
Working Voltage	DC 12V 1.5A
Led Style	5050 RGB
LED Quantity	5050 RGB
Color Temperature	RGB+3000K
Color Rendering Index	>80Ra
Lumen	400lm
Shell Body Material	Aluminum+ABS+Silicon
Storage Environment	-20 ℃ +40 ℃
Work Environment	-20 °C +40 °C

.

Product size chart



Functions and Operations


1. Refer to the instruction manual to assemble the floor-standing atmosphere lamp kit into a finished lamp and then power-on test;

2. The remote control can control a variety of RGB color static changes;

3. The white light mode can be independently controlled by the remote control and the brightness can be adjusted;

4. The dynamic color change of the ambient light can be adjusted;

Functions introduction diagram



WARNING

1. Avoid installing above heat source objects, direct sunlight, areas where airflow and temperature change significantly;

2. Please do not look directly at the LED lights with your eyes for a long time, otherwise it may cause eye discomfort or damage your eyes;

3. Avoid exposing the product to the outdoors, direct rain, and do not immerse the product in water, otherwise it may be short-circuited or damaged;

4. Do not hit the ambient light with sharp objects or rough contaminants, so as not to affect the function and appearance;